AUTHOR INDEX

A
Abbassioun K. *See* Amirjamshidi A
Abe H. *See* Horikoshi T
Agostinis C, Caverni L, Montini M, Pagani G, Bonaldi G. "Spontaneous" reduction of tonsillar herniation in acromegaly: A case report, 396
Akdemir P. *See* Oruckaptan HH
Akino M. *See* Horikoshi T
Alazzaz A. *See* Debrun GM
Alberti O. *See* Sure U
Aletich VA. *See* Debrun GM
Alexander E Jr
Watts C. Neurosurgical societies, 518-rc
Alexander E Jr.
The neurosurgical travel club, part two-finis, 293
Amano K. Does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 189-com
Amin P. *See* Chin LS
Amirjamshidi A, Abbassioun K, Rahmat H. Traumatic aneurysms and arteriovenous fistulas of the extracranial vessels in war injuries, 136
Andrews RJ. *See* Deol I
Anno I. *See* Yanaka K
Antoniuk A. *See* Hanel RA
Aoki K. *See* Yanaka K
Aoki N. *See* Yoshino Y
Apple SL, Schmidt JH. Technique for neurosurgically relevant CT image transfers using inexpensive video digital technology, 411
Araújo JC. *See* Hanel RA
Arita H. *See* Harada K
Asada H. *See* Nagai R
Asari J. *See* Kodama N
Atsuchi M. *See* Kobanawa S
Ausman JI. *See* Debrun GM; Raja AI
Achievements of the last century in neurosurgery and a view to the 21st century, 301-ed
The CNS *versus* the AANS: Who loses? You do!, 617-ed
Motor area cavernous angioma: Case report, 339-com
Neurosurgical Management of Aneurysmal Subarachnoid Hemorrhage, 97-br
Recognizing major contributors, 522-ed
Roitberg BZ. Field of the future: Neurogenic disease, 290-rc
The rubber dam interposition technique during intracranial aneurysm clipping under deep hypothermic circulatory arrest, 149-com
In this issue, 1-ed, 99-ed, 199-ed, 299-ed, 409-ed, 521-ed
Thoughts about Professor Ramamurthi and senior neurosurgeons: When should they retire?, 92-ed
Awad I. De novo lesions in familial form of cerebral cavernous malformations: Clinical and MR features in 29 non-Hispanic families, 483-com
Ayuzawa S. *See* Ishikawa E

B
Başkaya MK. *See* Yüceer N
Badie B, Nguyen P, Preston JK. Endoscopic-guided direct endonasal approach for pituitary surgery, 168
Barnwell SL. *See* Heller AC
Barrow DL
Considerations on surgical treatment for elderly patients with intracranial aneurysms, 237-com
Elective neck clipping for unruptured aneurysms in elderly patients, 20-com
Bashir Q. *See* Debrun GM; Kounin G
Batjer HH. Traumatic aneurysms and arteriovenous fistulas of the extracranial vessels in war injuries, 145-com
Baysefer A. *See* Gezen F
Becker R. *See* Sure U
Bergui M. *See* Massa-Micon B
Bernanke DH. *See* Zubkov AY
Bertalanffy H. *See* Sure U
Bertan V. *See* Inci S
Besser M
Considerations on surgical treatment for elderly patients with intracranial aneurysms, 237-com
Intracranial aneurysms and arterial hypertension: A review and hypothesis, 542-com
Is decompressive craniectomy for acute cerebral infarction of any benefit?, 229-com
Risk factors for the development of post-traumatic cerebral vasospasm, 130-com
Bhojraj SY. *See* Muzumdar DP
Biggins T. *See* Chin LS
Bonaldi G. *See* Agostinis C
Boon AJW, Tans JTJ, Delwel EJ, Egeler-Peerdeman SM, Hanlo PW, Wurzer HAL, Hermans J. The Dutch Normal Pressure Hydrocephalus Study. How to select patients for shunting? An analysis of four diagnostic criteria, 201
Bose A. *See* Kamiryo T
Bricolo A. Surgical treatment of primary midbrain gliomas, 51-com
Brock M. *See* Kline DG
Brunereau L, Levy C, Laberge S, Houtteville J-P, Labauge P. De Novo lesions in familial form of

0090-3019/00/$–see front matter
SSDI 0090-3019

© 2000 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

AUTHOR INDEX

A
Abbassioun K. *See* Amirjamshidi A
Abe H. *See* Horikoshi T
Agostinis C, Caverni L, Montini M, Pagani G, Bonaldi G. "Spontaneous" reduction of tonsillar herniation in acromegaly: A case report, 396
Akdemir P. *See* Oruckaptan HH
Akino M. *See* Horikoshi T
Alazzaz A. *See* Debrun GM
Alberti O. *See* Sure U
Aletich VA. *See* Debrun GM
Alexander E Jr
Watts C. Neurosurgical societies, 518-rc
Alexander E Jr.
The neurosurgical travel club, part two-finis, 293
Amano K. Does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 189-com
Amin P. *See* Chin LS
Amirjamshidi A, Abbassioun K, Rahmat H. Traumatic aneurysms and arteriovenous fistulas of the extracranial vessels in war injuries, 136
Andrews RJ. *See* Deol I
Anno I. *See* Yanaka K
Antoniuk A. *See* Hanel RA
Aoki K. *See* Yanaka K
Aoki N. *See* Yoshino Y
Apple SL, Schmidt JH. Technique for neurosurgically relevant CT image transfers using inexpensive video digital technology, 411
Araújo JC. *See* Hanel RA
Arita H. *See* Harada K
Asada H. *See* Nagai R
Asari J. *See* Kodama N
Atsuchi M. *See* Kobanawa S
Ausman JI. *See* Debrun GM; Raja AI
Achievements of the last century in neurosurgery and a view to the 21st century, 301-ed
The CNS *versus* the AANS: Who loses? You do!, 617-ed
Motor area cavernous angioma: Case report, 339-com
Neurosurgical Management of Aneurysmal Subarachnoid Hemorrhage, 97-br
Recognizing major contributors, 522-ed
Roitberg BZ. Field of the future: Neurogenic disease, 290-rc
The rubber dam interposition technique during intracranial aneurysm clipping under deep hypothermic circulatory arrest, 149-com
In this issue, 1-ed, 99-ed, 199-ed, 299-ed, 409-ed, 521-ed
Thoughts about Professor Ramamurthi and senior neurosurgeons: When should they retire?, 92-ed
Awad I. De novo lesions in familial form of cerebral cavernous malformations: Clinical and MR features in 29 non-Hispanic families, 483-com
Ayuzawa S. *See* Ishikawa E

B
Başkaya MK. *See* Yüceer N
Badie B, Nguyen P, Preston JK. Endoscopic-guided direct endonasal approach for pituitary surgery, 168
Barnwell SL. *See* Heller AC
Barrow DL
Considerations on surgical treatment for elderly patients with intracranial aneurysms, 237-com
Elective neck clipping for unruptured aneurysms in elderly patients, 20-com
Bashir Q. *See* Debrun GM; Kounin G
Batjer HH. Traumatic aneurysms and arteriovenous fistulas of the extracranial vessels in war injuries, 145-com
Baysefer A. *See* Gezen F
Becker R. *See* Sure U
Bergui M. *See* Massa-Micon B
Bernanke DH. *See* Zubkov AY
Bertalanffy H. *See* Sure U
Bertan V. *See* Inci S
Besser M
Considerations on surgical treatment for elderly patients with intracranial aneurysms, 237-com
Intracranial aneurysms and arterial hypertension: A review and hypothesis, 542-com
Is decompressive craniectomy for acute cerebral infarction of any benefit?, 229-com
Risk factors for the development of post-traumatic cerebral vasospasm, 130-com
Bhojraj SY. *See* Muzumdar DP
Biggins T. *See* Chin LS
Bonaldi G. *See* Agostinis C
Boon AJW, Tans JTJ, Delwel EJ, Egeler-Peerdeman SM, Hanlo PW, Wurzer HAL, Hermans J. The Dutch Normal Pressure Hydrocephalus Study. How to select patients for shunting? An analysis of four diagnostic criteria, 201
Bose A. *See* Kamiryo T
Bricolo A. Surgical treatment of primary midbrain gliomas, 51-com
Brock M. *See* Kline DG
Brunereau L, Levy C, Laberge S, Houtteville J-P, Labauge P. De Novo lesions in familial form of

0090-3019/00/$–see front matter
SSDI 0090-3019

© 2000 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

cerebral cavernous malformations: Clinical and MR features in 29 non-Hispanic families, 475
Burchiel KJ. Hemifacial spasm caused by a contralateral vertebral artery: Case report, 497-com

C
Castel J-P. Risks of surgery for patients with unruptured intracranial aneurysms, 27-com
Caverni L. *See* Agostinis C
Chan C. *See* Koh MS
Chanda A. Advanced-image guided skull base surgery, 572-com
Chang HS, Nakagawa H, Mizuno J. Lumbar herniated disc presenting with cauda equina syndrome. Long-term follow-up of four cases, 100
Charbel FT. *See* Debrun GM
The rubber dam interposition technique during intracranial aneurysm clipping under deep hypothermic circulatory arrest, 149-com
Chen J-F, Lee S-T, Lui T-N, Yeh Y-S, Chen T-Y, Tzaan W-C. Teflon granuloma after microvascular decompression for trigeminal neuralgia, 281
Chen T-Y. *See* Chen J-F
Chiappetta F. Chronic hydrocephalus in elderly patients following subarachnoid hemorrhage, 124-com
Chin LS, Lazio BE, Biggins T, Amin P. Acute complications following gamma knife radiosurgery are rare, 498
Cigliano A. *See* Profeta G
Çiklatekerlioglu Ö. *See* Gezen F
Citow JS, Kranzler L. Thoracic epidural lipomatosis with associated syrinx: Case report, 589
Clousson JP. Physicians and unions: An oxymoron?, 403-ed
Cochran EJ. Rosai-Dorfman disease mimicking parasagittal meningioma: Case presentation and review of literature, 457-com
Cole HO. *See* Kline DG
Acute epidural hematoma developing during twist-drill craniostomy: A complication of percutaneous subdural tapping for the treatment of chronic subdural hematoma, 604-com
Cervical discectomy. A prospective analysis of three operative techniques, 348-com
Ethyl-2-cyanoacrylate fixation of the cranial bone flap after craniotomy, 289-com
Hematoma of the ligamentum flavum in the lumbar spine: Case report, 600-com
Spontaneous resolution of chronic subdural hematoma, 315-com
Constantinovici AN. Evaded bioethics and the vocation of medicine—the future at stake, 194-com
Corsten LA. Catecholamine-secreting carotid body tumor and intracranial aneurysm: Coincidence?, 492-com
Cristante L, Puchner MAJ. A keyhole middle fossa approach to large cholesterol granulomas of the petrous apex, 64
Csécsel GI, Klekner AP, Dobal J, Lajgut A, Sikula J. Posterior interbody fusion using laminectomy bone and transpedicular screw fixation in the treatment of lumbar spondylolisthesis, 2

D
Daikoku M. *See* Hayashi K
Dai L, Yuan W, Ni B, Jia L. Os odontoideum: Etiology, diagnosis, and management, 106
da Silva Ditzel LF. *See* Hanel RA
Dave A. *See* Koenigsberg RA
Debrun G. Chronological changes in MRI findings of spinal dural arteriovenous fistula, 249-com
Debrun GM, Aletich VA, Thornton J, Alazzaz A, Charbel FT, Ausman JI, Bashir Q. Techniques of coiling cerebral aneurysms, 150
de Falco R. *See* Profeta G
Delwel EJ. *See* Boon AJW
Deol I, Robledo L, Meza A, Visvesvara GS, Andrews RJ. Encephalitis due to a free-living amoeba *(Balamuthia mandrillaris):* Case report with literature, 611
Deopujari CE. *See* Muzumdar DP
de Sousa AA. Risks of surgery for patients with unruptured intracranial aneurysms, 28-com
Detwiler PW. De novo lesions in familial form of cerebral cavernous malformations: Clinical and MR features in 29 non-Hispanic families, 482-com
Dobal J. *See* Csécsel GI
Do HM. *See* Simmons NE
Dorsch NWC
Cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage. Outcome in 217 patients, 118-com
Endothelin-1 concentration increases in the cerebrospinal fluid in cerebral vasospasm caused by subarachnoid hemorrhage, 135-com
Dowd GC. *See* Wirth FP
Duffau H. Intraoperative direct subcortical stimulation for identification of the internal capsule, combined with an image-guided sterotactic system during surgery for basal ganglia lesions, 250

E
Ebraheim NA, Misson JR, Xu R, Yeasting RA. The optimal transarticular C1-2 screw length and the location of the hypoglossal nerve, 208
Egeler-Peerdeman SM. *See* Boon AJW
El-Gindi S. *See* Kline DG
Embil JM. *See* Fleetwood IG
Engelhard HH
The role of interstitial BCNU chemotherapy in the treatment of malignant glioma, 458
Tumor bed cyst formation after BCNU wafer implantation: Report of two cases, 220
Epstein NE. Simultaneous cervical diffuse idiopathic skeletal hyperostosis and ossification of the posterior longitudinal ligament resulting in dysphagia or myelopathy in two geriatric North Americans, 427
Estin D, Troffkin N, Heilman CB. Bone flap fixation with titanium clamps: A new technique, 391
Ezura M. *See* Saito R

F
Fager CA. Cervical discectomy. A prospective analysis of three operative techniques, 347-com

Fahi RA. Bilateral vocal cord paralysis after anterior cervical discoidectomy and fusion in a case of whiplash cervical spine injury: A case report, 588-com
Faro SH. *See* Koenigsberg RA
Fernandez E
Good recovery after surgery in an extreme case of Guyon's canal syndrome, 192-com
Fernandez E
Pallini R, Marchese E, Lauretti L, Palma P, Miscusi M, Scogna A. Neurosurgery of the peripheral nervous system: Entrapment syndromes of the brachial plexus, 82
Spontaneous brachial plexus hemorrhage—Case report, 359-com
Field EM. *See* Kline DG
Fischer G. Selection of surgical approaches for small acoustic neurinomas, 60-com
Fleetwood IG, Embil JM, Ross IB. *Nocardia asteroides* cerebral abscess in immunocompetent hosts: Report of three cases and review of surgical recommendations, 605
Frankel B. *See* Julien T
Friedman WA, Peace D. A gunshot wound to the head-The case of Abraham Lincoln, 511
Fujii S. *See* Tokoro K
Fujita K. *See* Yanaka K
Fukushima T. Hemifacial spasm caused by a contralateral vertebral artery: Case report, 497-com
Futami K. Cerebral aneurysms and medial defects, 197-rc

G
Galera R. *See* Gonzalez E
Gezen F, Zlyal IM, Baysefer A, Kahraman S, Çiklatekerlioglu Ö. Calvarial metastasis of a paraganglioma: Case report and review of the literature, 61
Gibson S. *See* Julien T
Goh KYC. *See* Koh MS
Gokaslan ZL. Spinal chondrosarcoma following adenocarcinoma of the breast: Case report, 582-com
Goncharov MZ. *See* Grigoryan YA
Gonzalez E, Orta J, Quero C, Niemshik L, Galera R, Onay D, Rojas O. Ethyl-2-cyanoacrylate fixation of the cranial bone flap after craniotomy, 288
Goodkin R. Lumbar herniated disc presenting with cauda equina syndrome. Long-term follow-up of four cases, 105-com
Goodman JM. *See* Kuzma BB
Goya T. *See* Nakano S
Grandinetti LM. *See* Koenigsberg RA
Grigoryan YA, Goncharov MZ, Lazebny VV. Hemifacial spasm caused by a contralateral vertebral artery: Case report, 493
Guarracino A. *See* Parlato C

H
Hague K, Post KD, Morgello S. Absence of peritumoral Crooke's change is associated with recurrence in surgically treated Cushing's disease, 77
Handa Y, Kaneko M, Takeuchi H, Tsuchida A, Kobayashi H, Kubota T. Effect of antioxidant, ebselen, on development of chronic cerebral vasospasm after subarachnoid hemorrhage in primates, 323
Hanel RA, Araújo JC, Antoniuk A, da Silva Ditzel LF, Terezinha L, Martins F, Linhares MN. Multiple brain abscesses caused by *Salmonella typhi:* Case report, 86
Hanlo PW. *See* Boon AJW
Harada H. NF2 in monozygotic twins, 96-rc
Harada K, Arita K, Kurisu K, Tahara H. Telomerase activity and the expression of telomerase components in pituitary adenoma with malignant transformation, 267
Hardy J
Absence of peritumoral Crooke's change is associated with recurrence in surgically treated Cushing's disease, 81-com
Pituitary adenomas: Results of 684 surgically treated patients and review of the literature, 218-com
"Spontaneous" reduction of tonsillar herniation in acromegaly: A case report, 399-com
Haroun RI, Li KW, Rigamonti D. Surgical resection of a cerebral arteriovenous malformation for treatment of superficial siderosis: Case report, 554
Hayashi K, Matsuo T, Kurihara M, Daikoku M, Kitange G, Shibata S. Skull metastasis of hepatocellular carcinoma associated with acute epidural hematoma: A case report, 379
Heilman CB. *See* Estin D; Voss NF
Heller AC, Kuether T, Barnwell SL, Nesbit G, Wayson KA. Spontaneous brachial plexus hemorrhage—Case report, 356
Hermans J. *See* Boon AJW
Heros RC
Intracranial aneurysms and arterial hypertension: A review and hypothesis, 542-com
Risks of surgery for patients with unruptured intracranial aneurysms, 28-com
Hida K. *See* Horikoshi T
Higashida R. *See* Koenigsberg RA
Higashi R. *See* Nomura M
Hirai S. Horner's syndrome and sixth nerve palsy, 94-rc
Hongo K. *See* Orz YI
Horikoshi T, Hida K, Iwasaki Y, Abe H, Akino M. Chronological changes in MRI findings of spinal dural arteriovenous fistula, 243
Hori Y. *See* Nagai R
Houtteville J-P. *See* Brunereau L
Thalamic cavernous malformations, 40-com
Hudson AR. *See* Kline DG

I
Ianniciello G. *See* Profeta G
Iguchi M. *See* Ishikawa E
Ikeda H. *See* Lan Q
Ikeda T. *See* Nakano S
Inagawa T. *See* Yoshioka H
Inci S
Bertan V. Catecholamine-secreting carotid body tumor and intracranial aneurysm: Coincidence?, 488

Spetzler RF. Intracranial aneurysms and arterial hypertension: A review and hypothesis, 530
Inokuchi F. *See* Yoshioka H
Iseda T. *See* Nakano S
Ishikawa E, Sugimoto K, Yanaka K, Moritake T, Iguchi M, Ayuzawa S, Kobayashi E, Nose T. Giant aneurysm of the superficial temporal artery. Case report and review of the literature, 543
Ito H. *See* Kashiwagi S
Iwai Y. *See* Nakajima H
Iwasaki Y. *See* Horikoshi T
Izumiyama H. *See* Lan Q

J
Jafar JJ. *See* Kamiryo T
Janjua RM. A keyhole middle fossa approach to large cholesterol granulomas of the petrous apex, 70-com
Jennetta PJ. Teflon granuloma after microvascular decompression for trigeminal neuralgia, 287-com
Jeong S-K. *See* Jung S
Jia L. *See* Dai L
Jiho H-D. Endoscopic-guided direct endonasal approach for pituitary surgery, 172-com
Jimbo H. *See* Lan Q
Jooma R. Spontaneous resolution of chronic subdural hematoma, 316-com
Julien T, Frankel B, Longo S, Kyle M, Gibson S, Shillitoe E, Ryken T. Antisense-mediated inhibition of the *BCL-2* gene induces apoptosis in human malignant glioma, 360
Jung S, Kang S-S, Kim T-S, Kim H-J, Jeong S-K, Kim S-C, Lee J-K, Kim J-H, Kim S-H, Lee J-H. Current surgical results of retrosigmoid approach in extralarge vestibular schwannomas, 370

K
Kahraman S. *See* Gezen F
Kalıas IH. Anatomic considerations of costotransverse screw placement in the thoracic spine, 354-com
Kalnin A. *See* Maniker A
Kamiryo T, Nelson PK, Bose A, Zalzal P, Jafar JJ. Familial arteriovenous malformations in siblings, 255
Kaneko M. *See* Handa Y
Kaneko T. *See* Nomura M
Kang S-S. *See* Jung S
Kanpolat Y. Does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 189-com
Karol E
Evaded bioethics and the vocation of medicine—the future at stake, 195-com
Spontaneous resolution of chronic subdural hematoma, 316-com
Kashiwagi S, Yamashita K, Kato S, Takasago T, Ito H. Elective neck clipping for unruptured aneurysms in elderly patients, 14
Kato S. *See* Kashiwagi S
Kattner KA, Stroink AR, Roth TC, Lee JM. Rosai-Dorfman disease mimicking parasagittal meningioma: Case presentation and review of literature, 452
Kawaguchi T, Sekhar LN. The rubber dam interposition technique during intracranial aneurysm clipping under deep hypothermic circulatory arrest, 146
Kawakami M. *See* Kodama N
Kawase T. A keyhole middle fossa approach to large cholesterol granulomas of the petrous apex, 70-com
Kayama T. *See* Sakurada K
Kelly PJ. Stereotactic biopsy for brain tumors: Is it always necessary?, 437-com
Kida S. *See* Nomura M
Kida Y, Kobayashi T, Tanaka T, Mori Y. Radiosurgery for bilateral neurinomas associated with neurofibromatosis type 2, 383
Kim H-J. *See* Jung S
Kim J-H. *See* Jung S
Kim S-c. *See* Jung S
Kim S-H. *See* Jung S
Kim T-S. *See* Jung S
Kishi H. *See* Nakajima H
Kita D. *See* Nomura M
Kitange G. *See* Hayashi K
Klekner AP. *See* Csécsei GI
Kline, DG, Reeves J, El-Gindi S, Reilly, PL, Hudson AR, Field EM, Cole HO, Brock M. Treatment of ulnar neuropathy, 524
Kobanawa S, Atsuchi M, Tanaka J-i, Shigeno T. Jugular bulb diverticulum associated with lower cranial nerve palsy and multiple aneurysms, 559
Kobayashi E. *See* Ishikawa E
Kobayashi H. *See* Handa Y
Kobayashi S. *See* Orz YI
Kobayashi T. *See* Kida Y
Kodama N, Sasaki T, Kawakami M, Sato M, Asari J. Cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage. Outcome in 217 patients, 110
Koenigsberg RA, Dave A, McCormick D, Weiss J, Higashida RT, Faro SH, Grandinetti LM, Tsai FY. Complicated stent supported cerebrovascular angioplasty: Case analyses and review of literature, 465
Koh MS, Goh KYC, Tung MYY, Chan C. Is decompressive craniectomy for acute cerebral infarction of any benefit?, 225
Kohno K. *See* Kumon Y
Kondo R. *See* Sakurada K
Kornblith PL
Antisense-mediated inhibition of the *BCL-2* gene induces apoptosis in human malignant glioma, 368-com
Calvarial metastasis of a paraganglioma: Case report and review of the literature, 63-com
Telomerase activity and the expression of telomerase components in pituitary adenoma with malignant transformation, 274-com
Tumor bed cyst formation after BCNU wafer implantation: Report of two cases, 224-com
Kounin G, Bashir Q. Mechanism and role of antidiuretic hormone, 508-rc
Kranzler, L. *See* Citow JS
Kubota A. *See* Tokoro K

Kubota T. *See* Handa Y
Kuether T. *See* Heller AC
Kumon Y, Sakaki S, Kohno K, Ohta S, Nakagawa K, Ohue S, Murakami S, Yanagihara N. Selection of surgical approaches for small acoustic neurinomas, 52
Kurihara M. *See* Hayashi K
Kurisu K. *See* Harada K
Kuroki A. *See* Sakurada K
Kuzma BB
Goodman JM. Improved identification of axonal shear injuries with gradient echo MR technique, 400
Goodman JM. Presphenoidal marrow changes in the pediatric skull base, 91
Kyle M. *See* Julien T
Kyoshima K. *See* Orz YI

L

Labauge P. *See* Brunereau L
Laberge S. *See* Brunereau L
Laidlaw J. Thoracic epidural lipomatosis with associated syrinx: Case report, 591-com
Lajgut A. *See* Csécsel GI
Lan Q, Ikeda H, Jimbo H, Izumiyama H, Matsumoto K. Considerations on surgical treatment for elderly patients with intracranial aneurysms, 231
Lauretti L. *See* Fernandez E
Laws EP. Isolated sphenoid sinus abscess: Clinical and radiological failure in preoperative diagnosis. Case report and review of the literature, 177-com
Laws ER Jr. *See* Simmons NE
Lazebny VV. *See* Grigoryan YA
Lazio BE. *See* Chin LS
Lee J-H. *See* Jung S
Lee J-K. *See* Jung S
Lee JM. *See* Kattner KA
Lee KC
A combination of wrapping and clipping using a collagen-impregnated Dacron fabric (Hemashield), 333-com
Posterior interbody fusion using laminectomy bone and transpedicular screw fixation in the treatment of lumbar spondylolisthesis, 6-com
Simultaneous cervical diffuse idiopathic skeletal hyperostosis and ossification of the posterior longitudinal ligament resulting in dysphagia or myelopathy in two geriatric North Americans, 431-com
Lee S-T. *See* Chen J-F
Leidzig TJ. Surgical resection of a cerebral arteriovenous malformation for treatment of superficial siderosis: Case report, 558-com
Levy C. *See* Brunereau L
Lewis AI. *See* Zubkov AY
Li KW. *See* Haroun RI
Linhares MN. *See* Hanel RA
Link MJ. Thalamic cavernous malformations, 39-com
Lipper MH. *See* Simmons NE
Liu A. *See* Wang C
Liu W-C. *See* Maniker A
Loftus CM. Is decompressive craniectomy for acute cerebral infarction of any benefit?, 229-com
Long DM. Ligament-sparing lumbar microdiscectomy: Technical note, 597-com
Longo S. *See* Julien T
Lopez-Gonzalez MA, Sotelo J. Brain tumors in Mexico: Characteristics and prognosis of glioblastoma, 157
Lui T-N. *See* Chen J-F
Lunsford LD. Radiosurgery for bilateral neurinomas associated with neurofibromatosis type 2, 390-com
Luparello V. *See* Massa-Micon B

M

Macmillan C. Atlas of Sleep Medicine in Infants and Children, 98-br
Maeda M. *See* Mori K
Maegawa J. *See* Tokoro K
Mafee MF. Delayed magnetic resonance imaging with Gd-DTPA differentiates subdural hygroma and subdural effusion, 310-com
Malis LI
Meningiomas of the cerebellopontine angle, 447-com
Radiosurgery for bilateral neurinomas associated with neurofibromatosis type 2, 389-com
Maniker A, Liu W-C, Marks D, Moser K, Kalnin A. Positioning of vagal nerve stimulators: Technical note, 178
Manrique M. *See* Vaquero J
Marchese E. *See* Fernandez E
Marks D. *See* Maniker A
Maroun FB. Senior neurosurgeons, 619-rc
Marsh JC. Intracranial aneurysms and arterial hypertension: A review and hypothesis, 542-com
Martínez R. *See* Vaquero J
Martins F. *See* Hanel RA
Massa-Micon B, Luparello V, Bergui M, Pagni A. De novo cavernoma case report and review of literature, 484
Mathies C. Selection of surgical approaches for small acoustic neurinomas, 59-com
Matsui O. *See* Nomura M
Matsumoto K. *See* Lan Q
Matsuo T. *See* Hayashi K
Matsuura H, Otawara Y, Suzuki M, Ogawa A. Dissecting aneurysm of the anterior choroidal artery: angiographical and MR imaging findings, 334
McCormick D. *See* Koenigsberg RA
McGillicuddy JE. Spontaneous brachial plexus hemorrhage—Case report, 359-com
Meguro K. *See* Suzuki K
Meza A. *See* Deol I
Miscusi M. *See* Fernandez E
Mishra GP, Sharma RR, Musa MM, Pawar SJ. Endodermal cyst of septum pellucidum and pregnancy: A case report, 583
Misson JR. *See* Ebraheim NA
Mizoi K. A combination of wrapping and clipping using a collagen-impregnated Dacron fabric (Hemashield), 333-com
Mizuno J. *See* Chang HS
Mondelli M, Stumpo M. Good recovery after surgery in an extreme case of Guyon's canal syndrome, 190
Montini M. *See* Agostinis C
Moraci A. *See* Parlato C
Morgello S. *See* Hague K
Morii K. *See* Yoshida S

Mori K, Maeda M. Delayed magnetic resonance imaging with Gd-DTPA differentiates subdural hygroma and subdural effusion, 303
Moritake T. *See* Ishikawa E
Mori Y. *See* Kida Y
Moser K. *See* Maniker A
Mummaneni PV, Rosenberg WS. Spinal chondrosarcoma following adenocarcinoma of the breast: Case report, 580
Murakami S. *See* Kumon Y
Musa MM. *See* Mishra GP
Muzumdar DP, Deopujari CE, Bhojraj SY. Bilateral vocal cord paralysis after anterior cervical discoidectomy and fusion in a case of whiplash cervical spine injury: A case report, 586

N

Nagai R, Tsunoda S, Hori Y, Asada H. Selective vulnerability to radiation in the hippocampal dentate granule cells, 503
Nagashima H. *See* Orz YI
Nakagawa H. *See* Chang HS
Nakagawa K. *See* Kumon Y
Nakajima H, Iwai Y, Yamanaka K, Yasui T, Kishi H. Primary intracranial germinoma in the medulla oblongata, 448
Nakano S, Iseda T, Yoneyama T, Ikeda T, Goya T, Wakisaka S. A combination of wrapping and clipping using a collagen-impregnated Dacron fabric (Hemashield), 330
Nakasato N. *See* Sakurada K
Nelson PK. *See* Kamiryo T
Nesbit G. *See* Heller AC
Nguyen P. *See* Badie B
Ni B. *See* Dai L
Niemshik L. *See* Gonzalez E
Nikkhah G. Advanced-image guided skull base surgery, 572-com
Noguchi S, Yanaka K, Yamada Y, Nose T. Diagnostic pitfalls in osteomyelitis of the odontoid process. Case report, 573
Nomura M, Kida S, Kita D, Kaneko T, Higashi R, Yoshikawa J, Matsui O, Yamashita J, Cerebellar hemorrhage after coil embolization for a ruptured vertebral dissecting aneurysm, 239
Nose T. *See* Ishikawa E; Noguchi S; Suzuki K; Yanaka K

O

Ogawa A. *See* Matsuura H
Ogihara K. *See* Zubkov AY
Ohno K. *See* Yoshino Y
Ohta S. *See* Kumon Y
Ohue S. *See* Kumon Y
Oikawa A. *See* Yoshino Y
Ojemann RG. The Dutch Normal Pressure Hydrocephalus Study. How to select patients for shunting? An analysis of four diagnostic criteria, 206-com
Onay D. *See* Gonzalez E
Orta J. *See* Gonzalez E
Oruckaptan HH, Akdemir P, Ozgen T. Isolated sphenoid sinus abscess: Clinical and radiological failure in preoperative diagnosis. Case report and review of the literature, 174
Orz YI, Hongo K, Tanaka Y, Nagashima H, Osawa M, Kyoshima K, Kobayashi S. Risks of surgery for patients with unruptured intracranial aneurysms, 21
Osawa M. *See* Orz YI
Otawara Y. *See* Matsuura H
Ou Y, Xu R
Özcan OE. *See* Qruçkaptan HH
Özgen T. *See* Qruçkaptan HH
Ozgen T. *See* Oruckaptan HH

P

Pagani G. *See* Agostinis C
Pagni A. *See* Massa-Micon B
Pagni CA. Cervical discectomy. A prospective analysis of three operative techniques, 346-com
Pallini R. *See* Fernandez E
Palma P. *See* Fernandez E
Parent AD. *See* Zubkov AY
Parkinson D. Horner's syndrome and sixth nerve palsy, 94-rc
Park Y-K. *See* Song J-H
Parlato C, Guarracino A, Moraci A. Spontaneous resolution of chronic subdural hematoma, 312
Pawar SJ. *See* Mishra GP
Pawl RM. Ligament-sparing lumbar microdiscectomy: Technical note, 597-com
Pawl RP
Increased MRI signal intensity in association with myelopathy and cervical instability: Case report and review of the literature, 13-com
Lumbar herniated disc presenting with cauda equina syndrome. Long-term follow-up of four cases, 105-com
Peace D. *See* Friedman WA
Petermeyer M. *See* Sure U
Petrakis IE, Sciacca V. Does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 182
Piepmeier JM. Antisense-mediated inhibition of the *BCL-2* gene induces apoptosis in human malignant glioma, 368-com
Porter RW. De novo lesions in familial form of cerebral cavernous malformations: Clinical and MR features in 29 non-Hispanic families, 482-com
Portnoy HD
Cervical discectomy. A prospective analysis of three operative techniques, 347-com
"Spontaneous" reduction of tonsillar herniation in acromegaly: A case report, 399-com
Post KD. *See* Hague K
Cerebral atrophy in Cushing's disease, 76-com
Pozzati E. Thalamic cavernous malformations, 30
Preston JK. *See* Badie B
Profeta G, de Falco R, Ianniciello G, Profeta L, Cigliano A, Raja AI. Preliminary experience with anterior cervical microdiscectomy and interbody titanium cage fusion (Novus CT-Ti) in patients with cervical disc disease, 417
Profeta L. *See* Profeta G
Puchner MAJ. *See* Cristante L

Pulst S-M, Baser ME. NF2 in monozygotic twins, 95-rc

Q

Qruçkaptan HH, Senmevsim Ö, Özcan OE, Özgen T. Pituitary adenomas: Results of 684 surgically treated patients and review of the literature, 211
Quero C. *See* Gonzalez E

R

Rahmat H. *See* Amirjamshidi A
Raila FA. *See* Zubkov AY
Raja AI. *See* Profeta G
Ausman JI. Time-line for the treatment of cerebral AVMS: Surgery, 552
Ramamutthi B. Evaded bioethics and the vocation of medicine—the future at stake, 195-com
Ratliff J, Voorhies R. Increased MRI signal intensity in association with myelopathy and cervical instability: Case report and review of the literature, 8
Reeves J. *See* Kline DG
Reilly PL. *See* Kline DG
Rigamonti D. *See* Haroun RI
Robertson JH. *See* Voss NF
Robledo L. *See* Deol I
Roitberg B
Effect of antioxidant, ebselen, on development of chronic cerebral vasospasm after subarachnoid hemorrhage in primates, 329-com
Intracranial aneurysms and arterial hypertension: A review and hypothesis, 542-com
Roitberg BZ. *See* Ausman JI
Rojas O. *See* Gonzalez E
Rosenberg WS. *See* Mummaneni PV
Ross IB. *See* Fleetwood IG
Roth TC. *See* Kattner KA
Ryken T. *See* Julien T

S

Saeki N. Horner's syndrome and sixth nerve palsy, 94-rc
Saijo M. *See* Tokoro K
Saitoh Y. *See* Suzuki K
Saito R, Ezura M, Takahashi A, Yoshimoto T. Combined neuroendovascular stenting and coil embolization for cervical carotid artery dissection causing symptomatic mass effect, 318
Saito S. *See* Sakurada K
Saito T. *See* Yoshida S
Sakaki S. *See* Kumon Y
Sakurada K, Kayama T, Sato S, Saito S, Kuroki A, Kondo R, Nakasato N, Yoshimoto T. Motor area cavernous angioma: Case report, 337
Sakurai T. *See* Suzuki K
Salazar JL
Giant aneurysm of the superficial temporal artery. Case report and review of the literature, 545-com
Skull metastasis of hepatocellular carcinoma associated with acute epidural hematoma: A case report, 382-com
Successful closure of recurrent traumatic CSF rhinorrhea using the free rectus abdominis muscle flap, 279-com
Sambasivan M
Current surgical results of retrosigmoid approach in extra large vestibular schwannomas, 377-com
Spontaneous resolution of chronic subdural hematoma, 316-com
Samii M
Advanced-image guided skull base surgery, 572-com
Selection of surgical approaches for small acoustic neurinomas, 59-com
Sanders HF. *See* Wirth FP
Sano K. Evaded bioethics and the vocation of medicine—the future at stake, 195-com
Sasaki T. *See* Kodama N
Sato M. *See* Kodama N
Sato S. *See* Sakurada K
Sawaya R. Spinal chondrosarcoma following adenocarcinoma of the breast: Case report, 582-com
Schmidt JH. *See* Apple SL
Sciacca V. *See* Petrakis IE
Scogna A. *See* Fernandez E
Sekhar LN. *See* Kawaguchi T
Advanced-image guided skull base surgery, 572-com
Senmevsim Ö. *See* Qruçkaptan HH
Sharma RR. *See* Mishra GP
Shibata S. *See* Hayashi K
Shigeno T. *See* Kobanawa S
Shillitoe E. *See* Julien T
Sikula J. *See* Csécsel GI
Simmons NE, Do HM, Lipper MH, Laws ER Jr. Cerebral atrophy in Cushing's disease, 72
Skie M, Xu R
Slavin KV
Advances and Technical Standards in Neurosurgery, 406-br
Bone flap fixation with titanium clamps: A new technique, 394-com
Does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 188-com
Headache and Facial Pain, 97-br
Intraoperative direct subcortical stimulation for identification of the internal capsule, combined with an image-guided stereotactic system during surgery for basal ganglia lesions, 254-com
Navigated Brain Surgery: Interdisciplinary Views of Neuronavigation From Neurosurgeons and Computer Scientists, 98-br
Neurosurgery of the future?, 516-ed
Smith P. *See* Yüceer N
Solomon RA
Considerations on surgical treatment for elderly patients with intracranial aneurysms, 237-com
Elective neck clipping for unruptured aneurysms in elderly patients, 20-com
Risks of surgery for patients with unruptured intracranial aneurysms, 29-com
Song J-H, Park Y-K. Ligament-sparing lumbar microdiscectomy: Technical note, 592
Sotelo J. *See* Lopez-Gonzalez MA
Encephalitis due to a free-living amoeba *(Balamuthia mandrillaris):* Case report with literature, 616-com
Multiple brain abscesses caused by *Salmonella typhi:* Case report, 90-com

Nocardia asteroides cerebral abscess in immunocompetent hosts: Report of three cases and review of surgical recommendations, 610-com
Spetzler RF. *See* Inci S
Stavin KV. Hemifacial spasm caused by a contralateral vertebral artery: Case report, 497-com
Stehbens WE. Cerebral aneurysms and medial defects, 197-rc
Stern WE. Evaded bioethics and the vocation of medicine—the future at stake, 194-com
Stroink AR. *See* Kattner KA
Stumpo M. *See* Modnelli M
Sturm V. Selective vulnerability to radiation in the hippocampal dentate granule cells, 506-com
Sugimoto K. *See* Ishikawa E
Sun B. *See* Wang C
Sure U, Alberti O, Petermeyer M, Becker R, Bertalanffy H. Advanced-image guided skull base surgery, 563
Suzuki K, Meguro K, Sakurai T, Saitoh Y, Takeuchi S, Nose T. Endothelin-1 concentration increases in the cerebrospinal fluid in cerebral vasospasm caused by subarachnoid hemorrhage, 131
Suzuki M. *See* Matsuura H
Sypert GW
Ligament-sparing lumbar microdiscectomy: Technical note, 597-com
Lumbar herniated disc presenting with cauda equina syndrome. Long-term follow-up of four cases, 105-com
The optimal transarticular C1-2 screw length and the location of the hypoglossal nerve, 210-com
Posterior interbody fusion using laminectomy bone and transpedicular screw fixation in the treatment of lumbar spondylolisthesis, 6-com

T
Tahara H. *See* Harada K
Takahashi A. *See* Saito R
Takakura K. Selective vulnerability to radiation in the hippocampal dentate granule cells, 507-com
Takasago T. *See* Kashiwagi S
Takeuchi H. *See* Handa Y
Takeuchi S. *See* Suzuki K; Yanaka K
Tanaka J-i. *See* Kobanawa S
Tanaka T. *See* Kida Y
Tanaka Y. *See* Orz YI
Tans JTJ. *See* Boon AJW
Terezinha L. *See* Hanel RA
Tew JM Jr. Thalamic cavernous malformations, 39-com
Thornton J. *See* Debrun GM
Tokoro K, Fujii S, Kubota A, Yamamoto I, Maegawa J, Saijo M, Yoshida T. Successful closure of recurrent traumatic CSF rhinorrhea using the free rectus abdominis muscle flap, 275
Tokuda Y. *See* Yoshioka H
Troffkin N. *See* Estin D
Tsai FY. *See* Koenigsberg RA
Tsuboi K. *See* Yanaka K
Tsuchida A. *See* Handa Y
Tsunoda S. *See* Nagai R
Tung MYY. *See* Koh MS
Tzaan W-C. *See* Chen J-F

V
VanGilder JC
Absence of peritumoral Crooke's change is associated with recurrence in surgically treated Cushing's disease, 81-com
Cerebral atrophy in Cushing's disease, 76-com
van Loveren HR. A keyhole middle fossa approach to large cholesterol granulomas of the petrous apex, 70-com
Vaquero J, Martínez R, Manrique M. Stereotactic biopsy for brain tumors: Is it always necessary?, 432
Velasco-Suarez M. Evaded bioethics and the vocation of medicine—the future at stake, 193-ed
Visvesvara GS. *See* Deol I
Voorhies R. *See* Ratliff J
Voss NF, Vrionis FD, Heilman CB, Robertson JH. Meningiomas of the cerebellopontine angle, 439
Vrionis FD. *See* Voss NF

W
Wagner FC Jr
Anatomic considerations of costotransverse screw placement in the thoracic spine, 355-com
Cervical discectomy. A prospective analysis of three operative techniques, 346-com
Controversies in Spine Surgery: Surgical Techniques and Medical Treatment, 407-br
The optimal transarticular C1-2 screw length and the location of the hypoglossal nerve, 210-com
Os odontoideum: Etiology, diagnosis, and management, 108-com
Preliminary experience with anterior cervical microdiscectomy and interbody titanium cage fusion (Novus CT-Ti) in patients with cervical disc disease, 425-com
Principles of Neurosurgery, 406-br
Surgery of the Lumbar Spine, 406-br
Teaching Atlas of Spine Imaging, 97-br
Thoracoscopic Spine Surgery, 97-br
Wakisaka S. *See* Nakano S
Wang C
Current surgical results of retrosigmoid approach in extra large vestibular schwannomas, 377-com
Evaded bioethics and the vocation of medicine—the future at stake, 195-com
Zhang J, Liu A, Sun B, Zhao Y. Surgical treatment of primary midbrain gliomas, 41
Watanabe M. *See* Yoshida S
Watts C. *See* Alexander E Jr
Wayson KA. *See* Heller AC
Weidner A. Diagnostic pitfalls in osteomyelitis of the odontoid process. Case report, 579-com
Weir B
Apoptosis od endothelial cells in vessels affected by cerebral vasospasm, 266-com
Cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage. Outcome in 217 patients, 117-com
Dissecting aneurysm of the anterior choroidal artery: angiographical and MR imaging findings, 336-com
Endothelin-1 concentration increases in the cerebrospinal fluid in cerebral vasospasm caused by subarachnoid hemorrhage, 135-com

Familial arteriovenous malformations in siblings, 259-com
Risks of surgery for patients with unruptured intracranial aneurysms, 27-com
Weiss J. *See* Koenigsberg RA
Willis BK. *See* Yüceer N
Wirth C. *See* Wirth FP
Wirth FP, Dowd GC, Sanders HF, Wirth C. Cervical discectomy. A prospective analysis of three operative techniques, 340
Wurzer HAL. *See* Boon AJW

X
Xu R. *See* Ebraheim NA
Xu R, Ebraheim NA, Ou Y, Skie M, Yeasting RA. Anatomic considerations of costotransverse screw placement in the thoracic spine, 349

Y
Yamada Y. *See* Noguchi S
Yamamoto I. *See* Tokoro K
Yamanaka K. *See* Nakajima H
Yamashita J. *See* Nomura M
Yamashita K. *See* Kashiwagi S
Yanada K. *See* Noguchi S
Yanagihara N. *See* Kumon Y
Yanaka K. *See* Ishikawa E
Tsuboi K, Fujita K, Aoki K, Takeuchi S, Anno I, Nose T. Distal anterior choroideal artery aneurysm associated with an arteriovenous malformation. Intraoperative localization and treatment, 546
Yasui T. *See* Nakajima H
Yeasting RA. *See* Ebraheim NA
Yeh Y-S. *See* Chen J-F
Yoneyama T. *See* Nakano S
Yoon DH
Posterior interbody fusion using laminectomy bone and transpedicular screw fixation in the treatment of lumbar spondylolisthesis, 6-com
Simultaneous cervical diffuse idiopathic skeletal hyperostosis and ossification of the posterior longitudinal ligament resulting in dysphagia or myelopathy in two geriatric North Americans, 431-com
Yoshida S, Morii K, Watanabe M, Saito T. Characteristic fractures of malignant lymphoma with central nervous system involvement, 163
Yoshida T. *See* Tokoro K
Yoshikawa J. *See* Nomura M
Yoshimoto T. *See* Saito R; Sakurada K
Yoshimoto T. Apoptosis od endothelial cells in vessels affected by cerebral vasospasm, 266-com
Yoshino Y, Aoki N, Oikawa A, Ohno K. Acute epidural hematoma developing during twist-drill craniostomy: A complication of percutaneous subdural tapping for the treatment of chronic subdural hematoma, 601
Yoshioka H, Inagawa T, Tokuda Y, Inokuchi F. Chronic hydrocephalus in elderly patients following subarachnoid hemorrhage, 119
Young RF. Acute complications following gamma knife radiosurgery are rare, 502-com
Yuan W. *See* Dai L
Yüceer N, Başkaya MK, Smith P, Willis BK. Hematoma of the ligamentum flavum in the lumbar spine: Case report, 598

Z
Zabramski JM. De novo lesions in familial form of cerebral cavernous malformations: Clinical and MR features in 29 non-Hispanic families, 482-com
Zalzal P. *See* Kamiryo T
Zhang J. *See* Wang C; Zubkov AY
Zhao Y. *See* Wang C
Zhao Y-D. Meningiomas of the cerebellopontine angle, 446-com
Zlyal IM. *See* Gezen F
Zubkov AY
Lewis AI, Raila FA, Zhang J, Parent AD. Risk factors for the development of post-traumatic cerebral vasospasm, 126
Ogihara K, Bernanke DH, Parent AD, Zhang J. Apoptosis od endothelial cells in vessels affected by cerebral vasospasm, 260

ELSEVIER

SUBJECT INDEX

A
Abducens nerve, Horner's syndrome and sixth nerve palsy, 94-le
Abscess
  diagnostic pitfalls in osteomyelitis of odontoid process, 573
  isolated sphenoid sinus abscess, 174
  multiple brain abscesses caused by *Salmonella typhi*, 86
  Nocardia asteroides cerebral abscess in immunocompetent hosts, 605
Acoustic neuroma
  current surgical results of retrosigmoid approach in extralarge vestibular schwannomas, 370
  radiosurgery for bilateral neurinomas associated with neurofibromatosis type 2, 383
  small, surgical approaches for, 52
Acromegaly, "spontaneous" reduction of tonsillar herniation in, 396
Amebiasis, encephalitis due to free-living amoeba *(Balamuthia mandrillaris)*, 611
Aneurysms
  catecholamine-secreting carotid body tumor and intracranial aneurysm, 488
  cerebellar hemorrhage after coil embolization for ruptured vertebral dissecting aneurysm, 239
  cerebral aneurysms and medical defects, continued, 197-le
  chronic hydrocephalus in elderly patients following subarachnoid hemorrhage, 119
  cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage, 110
  combination of wrapping and clipping using collagen-impregnated Dacron fabric (Hemashield), 330
  dissecting aneurysm of anterior choroidal artery, 334
  distal anterior choroidal artery aneurysm associated with arteriovenous malformation, 546
  giant aneurysm of superficial temporal artery, 543
  intracranial aneurysms and arterial hypertension, 530
  jugular bulb diverticulum associated with lower cranial nerve palsy and multiple aneurysms, 559
  rubber dam interposition technique during intracranial aneurysm clipping under deep hypothermic circulatory arrest, 146
  surgical treatment for elderly patients with intracranial aneurysms, 231
  techniques of coiling cerebral aneurysms, 150
  traumatic aneurysms and arteriovenous fistulas of extracranial vessels in war injuries, 136
  unruptured, elective neck clipping in elderly patients, 14
  unruptured intracranial, risks of surgery for patients with, 21
Angiography
  dissecting aneurysm of anterior choroidal artery, 334
  distal anterior choroidal artery aneurysm associated with arteriovenous malformation, 546
Angioma, cavernous
  de novo cavernoma, 484
  de novo lesions in familial form of cerebral cavernous malformation, 475
  intraoperative direct subcortical stimulation for identification of internal capsule, combined with image-guided stereotactic system during surgery for basal ganglia lesions, 250
  motor area, 337
  thalamic, 30
Angioplasty, complicated stent supported cerebrovascular angioplasty, 465
Anomalies, os odontoideum, 106
Anterior choroidal artery
  dissecting aneurysm of, 334
  distal, aneurysm associated with arteriovenous malformation, 546
Antidiuretic hormone, 508
Apoptosis
  antisense-mediated inhibition of *bcl-2* gene induces apoptosis in human malignant glioma, 360
  of endothelial cells in vessels affected by cerebral vasospasm, 260
  selective vulnerability to radiation in hippocampal dentate granule cells, 503
Arterial dissection, combined neuroendovascular stenting and coil embolization for cervical carotid artery dissection causing symptomatic mass effect, 318
Arterial perforation, combination of wrapping and clipping using collagen-impregnated Dacron fabric (Hemashield), 330
Arteriovenous malformation (AVM)
  chronological changes in MRI findings of spinal dural arteriovenous fistula, 243
  distal anterior choroidal artery aneurysm associated with, 546
  familial arteriovenous malformations in siblings, 255
  surgical resection of cerebral arteriovenous malformation for treatment of superficial siderosis, 554
  time-line for treatment of cerebral AVMs: surgery, 552
  traumatic aneurysms and arteriovenous fistulas of extracranial vessels in war injuries, 136
Ascorbic acid, cisternal irrigation therapy with urokinase and ascorbic acid for prevention of

© 2000 by Elsevier Science Inc.
655 Avenue of the Americas, New York, NY 10010

0090-3019/00/$–see front matter
SSDI 0090-3019

vasospasm after aneurysmal subarachnoid hemorrhage, 110
Astrocytoma, interstitial BCNU chemotherapy in treatment of malignant glioma, 458
Atlantoaxial joint
optimal transarticular C1-2 screw length and location of hypoglossal nerve, 208
os odontoideum, 106
Autonomic neuropathy, influence on spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia, 182
Axonal shear injuries, improved identification with gradient echo MR technique, 400

B
Balamuthia mandrillaris encephalitis, 611
Basal ganglia lesions, intraoperative direct subcortical stimulation for identification of internal capsule, combined with image-guided stereotactic system during surgery for, 250
bcl-2 gene, antisense-mediated inhibition of *bcl-2* gene induces apoptosis in human malignant glioma, 360
BCNU
interstitial, in treatment of malignant glioma, 458
tumor bed cyst formation after BCNU wafer implantation, 229
Bioethics, evaded bioethics and the vocation of medicine-the future at stake, 193-ed
Biopsy, stereotactic, for brain tumors: is it always necessary?, 432
Bladder dysfunction, lumbar herniated disc presenting with cauda equina syndrome, 100
Bone flap
ethyl-2-cyanoacrylate fixation of cranial bone flap after craniotomy, 288
fixation with titanium clamps: new technique, 391
BOOK REVIEWS
Advances and Technical Standards in Neurosurgery, 406
Atlas of Sleep Medicine in Infants and Children, 98
Controversies in Spine Surgery: Surgical Techniques and Medical Treatment, 407
Headache and Facial Pain, 97
Navigated Brain Surgery: Interdisciplinary Views of Neuronavigation from Neurosurgeons and Computer Scientists, 98
Neurosurgical Management of Aneurysmal Subarachnoid Hemorrhage, 97
Principles of Neurosurgery, 406
Surgery of the Lumbar Spine, 406
Teaching Atlas of Spine Imaging, 97
Thoracoscopic Spine Surgery, 97
Brachial plexus
entrapment syndromes of, 82
spontaneous hemorrhage of, 356
Brain abscess
multiple, caused by *Salmonella typhi*, 86
Nocardia asteroides cerebral abscess in immunocompetent hosts, 605
Brain atrophy, spontaneous resolution of chronic subdural hematoma, 312
Brain herniation, "spontaneous" reduction of tonsillar herniation in acromegaly, 396
Brain injury. *See also* Trauma
delayed magnetic resonance imaging with Gd-DTPA differentiates subdural hygroma and subdural effusion, 303
gunshot wound to head-case of Abraham Lincoln, 511
improved identification of axonal shear injuries with gradient echo MR technique, 400
risk factors for development of post-traumatic cerebral vasospasm, 126
successful closure of recurrent traumatic CSF rhinorrhea using free rectus abdominis muscle flap, 275
Brain tumors
advanced-image guided skull base surgery, 563
antisense-mediated inhibition of *bcl-2* gene induces apoptosis in human malignant glioma, 360
calvarial metastasis of paraganglioma, 61
characteristic features of malignant lymphoma with central nervous system involvement, 163
current surgical results of retrosigmoid approach in extralarge vestibular schwannomas, 370
interstitial BCNU chemotherapy in treatment of malignant glioma, 458
keyhole middle fossa approach to large cholesterol granuloma of petrous apex, 64
meningiomas of cerebellopontine angle, 439
in Mexico: characteristics and prognosis of glioblastoma, 157
motor area cavernous angioma, 337
pituitary adenomas, 211
primary intracranial germinoma in medulla oblongata, 448
radiosurgery for bilateral neurinomas associated with neurofibromatosis type 2, 383
stereotactic biopsy for, 432
surgical treatment of primary midbrain gliomas, 41
tumor bed cyst formation after BCNU wafer implantation, 229
Breast cancer, spinal chondrosarcoma following, 580
Bromocriptine, for pituitary adenomas, 211

C
Calvarium, metastasis of paraganglioma to, 61
Cardiac disease, neurogenic, 290
Carmustine
interstitial BCNU chemotherapy in treatment of malignant glioma, 458
tumor bed cyst formation after BCNU wafer implantation, 229
Carotid artery
combined neuroendovascular stenting and coil embolization for cervical carotid artery dissection causing symptomatic mass effect, 318
complicated stent supported cerebrovascular angioplasty, 465
traumatic aneurysms and arteriovenous fistulas of extracranial vessels in war injuries, 136
Carotid body tumor, catecholamine-secreting, and intracranial aneurysm, 488
Cauda equina syndrome, lumbar herniated disc presenting with, 100
Cavernous angioma
de novo cavernoma, 484
de novo lesions in familial form of cerebral cavernous malformation, 475

intraoperative direct subcortical stimulation for identification of internal capsule, combined with image-guided stereotactic system during surgery for basal ganglia lesions, 250
motor area, 337
thalamic, 30
Cerebellar hemorrhage, after coil embolization for ruptured vertebral dissecting aneurysm, 239
Cerebellopontine angle tumor
keyhole middle fossa approach to large cholesterol granuloma of petrous apex, 64
meningiomas, 439
Cerebrospinal fluid (CSF)
chronic hydrocephalus in elderly patients following subarachnoid hemorrhage, 119
Dutch Normal-Pressure Hydrocephalus Study: analysis of four diagnostic criteria to select patients for shunting, 201
increased endothelin-1 concentration in, in cerebral vasospasm caused by subarachnoid hemorrhage, 131
successful closure of recurrent traumatic CSF rhinorrhea using free rectus abdominis muscle flap, 275
Cerebrovascular angioplasty, complicated stent supported, 465
Cerebrovascular malformation
de novo cavernoma, 484
de novo lesions in familial form of cerebral cavernous malformation, 475
Cerebrum
acute cerebral infarction: is decompressive craniectomy of any benefit?, 225
cerebral atrophy in Cushing's disease, 72
selective vulnerability to radiation in hippocampal dentate granule cells, 503
Cervical spine
anterior cervical microdiscectomy and interbody titanium cage fusion in patients with cervical disc disease, 417
bilateral vocal cord paralysis after anterior cervical discoidectomy and fusion in case of whiplash cervical spine injury, 586
cervical diffuse idiopathic skeletal hyperostosis and ossification of posterior longitudinal ligament resulting in dysphagia or myelopathy, 427
cervical discectomy: prospective analysis of three operative techniques, 340
diagnostic pitfalls in osteomyelitis of odontoid process, 573
increased MRI signal intensity in association with myelopathy and cervical instability, 8
optimal transarticular C1-2 screw length and location of hypoglossal nerve, 208
os odontoideum, 106
Chemotherapy
interstitial BCNU chemotherapy in treatment of malignant glioma, 458
for primary intracranial germinoma in medulla oblongata, 448
tumor bed cyst formation after BCNU wafer implantation, 229
Children
distal anterior choroidal artery aneurysm associated with arteriovenous malformation, 546
presphenoidal marrow changes in pediatric skull base, 91
Cholesterol granuloma of petrous apex, keyhole middle fossa approach to, 64
Chondrosarcoma, spinal, following adenocarcinoma of breast, 580
Circulatory arrest, deep hypothermic, rubber dam interposition technique during intracranial aneurysm clipping under, 146
Cisternal irrigation, with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage, 110
Coiling techniques
cerebellar hemorrhage after coil embolization for ruptured vertebral dissecting aneurysm, 239
for cerebral aneurysms, 150
combined neuroendovascular stenting and coil embolization for cervical carotid artery dissection causing symptomatic mass effect, 318
Complications
acute complications following gamma knife radiosurgery are rare, 498
acute epidural hematoma developing during twist-drill craniostomy, 601
bilateral vocal cord paralysis after anterior cervical discoidectomy and fusion in case of whiplash cervical spine injury, 586
cerebellar hemorrhage after coil embolization for ruptured vertebral dissecting aneurysm, 239
optimal transarticular C1-2 screw length and location of hypoglossal nerve, 208
Teflon granuloma after microvascular decompression for trigeminal neuralgia, 281
Computed tomography (CT)
cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage, 110
Dutch Normal-Pressure Hydrocephalus Study: analysis of four diagnostic criteria to select patients for shunting, 201
isolated sphenoid sinus abscess, 174
lumbar herniated disc presenting with cauda equina syndrome, 100
technique for neurosurgically relevant CT image transfers using inexpensive video digital technology, 411
Corticosteroids, cerebral atrophy in Cushing's disease, 72
Costotransverse screw placement in thoracic spine, anatomic considerations, 349
Cranial nerves
Horner's syndrome and sixth nerve palsy, 94-le
jugular bulb diverticulum associated with lower cranial nerve palsy and multiple aneurysms, 559
optimal transarticular C1-2 screw length and location of hypoglossal nerve, 208
Craniectomy, decompressive, for acute cerebral infarction, 225
Craniotomy
bone flap fixation with titanium clamps: new technique, 391
ethyl-2-cyanoacrylate fixation of cranial bone flap after, 288
Cushing's disease
absence of peritumoral Crooke's change associated with recurrence after surgical treatment for, 77

cerebral atrophy in, 72
Cyanoacrylate adhesive, for fixation of cranial bone flap after craniotomy, 288
Cysts
endodermal cyst of septum pellucidum and pregnancy, 583
tumor bed cyst formation after BCNU wafer implantation, 229

D
Decompressive craniectomy, acute cerebral infarction, 225
Dentate granule cells, hippocampal, selective vulnerability to radiation, 503
Diabetes mellitus, does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 182
Diagnosis
delayed magnetic resonance imaging with Gd-DTPA differentiates subdural hygroma and subdural effusion, 303
diagnostic pitfalls in osteomyelitis of odontoid process, 573
dissecting aneurysm of anterior choroidal artery, 334
improved identification of axonal shear injuries with gradient echo MR technique, 400
isolated sphenoid sinus abscess, 174
os odontoideum, 106
Diffuse idiopathic skeletal hyperostosis, cervical, and ossification of posterior longitudinal ligament resulting in dysphagia or myelopathy, 427
Digital photography, technique for neurosurgically relevant CT image transfers using inexpensive video digital technology, 411
Direct electrical subcortical stimulation, intraoperative, for identification of internal capsule, combined with image-guided stereotactic system during surgery for basal ganglia lesions, 250
Discectomy
anterior cervical microdiscectomy and interbody titanium cage fusion in patients with cervical disc disease, 417
cervical: prospective analysis of three operative techniques, 340
ligament-sparing lumbar microdiscectomy, 592
Dutch Normal-Pressure Hydrocephalus Study, analysis of four diagnostic criteria to select patients for shunting, 201
Dysphagia, cervical diffuse idiopathic skeletal hyperostosis and ossification of posterior longitudinal ligament resulting in myelopathy or, 427

E
Ebselen, effect on development of chronic cerebral vasospasm after subarachnoid hemorrhage in primates, 323
Editorials
The CNS versus the AANS: who loses? You do!, 617
Evaded bioethics and the vocation of medicine-the future at stake, 193
Neurosurgery of the future?, 516
Physicians and unions: an oxymoron?, 403
In this issue, 1, 99, 199, 299, 409, 521
Thoughts about Professor Ramamurthi and senior neurosurgeons: when should they retire?, 92
Elderly persons
chronic hydrocephalus following subarachnoid hemorrhage in, 119
elective neck clipping for unruptured aneurysms in, 14
surgical treatment of intracranial aneurysms in, 231
Embolization
cerebellar hemorrhage after coil embolization for ruptured vertebral dissecting aneurysm, 239
chronological changes in MRI findings of spinal dural arteriovenous fistula, 243
combined neuroendovascular stenting and coil embolization for cervical carotid artery dissection causing symptomatic mass effect, 318
techniques of coiling cerebral aneurysms, 150
Encephalitis, due to free-living amoeba *(Balamuthia mandrillaris)*, 611
Endocrinology, mechanism and role of antidiuretic hormone, 508
Endodermal cyst, of septum pellucidum and pregnancy, 583
Endonasal approach, endoscopic-guided direct, for pituitary surgery, 168
Endoscopic-guided direct endonasal approach, for pituitary surgery, 168
Endothelial cells, apoptosis of, in vessels affected by cerebral vasospasm, 260
Endothelin-1, increased concentration in cerebrospinal fluid in cerebral vasospasm caused by subarachnoid hemorrhage, 131
Endovascular therapy
cerebellar hemorrhage after coil embolization for ruptured vertebral dissecting aneurysm, 239
coiling techniques for cerebral aneurysms, 150
combined neuroendovascular stenting and coil embolization for cervical carotid artery dissection causing symptomatic mass effect, 318
complicated stent supported cerebrovascular angioplasty, 465
Epidural hematoma, acute
developing during twist-drill craniostomy, 601
skull metastasis of hepatocellular carcinoma associated with, 379
Epidural lipomatosis, thoracic, with associated syrinx, 589
Epilepsy, positioning of vagal nerve stimulators, 178

F
Facial nerve
hemifacial spasm caused by contralateral vertebral artery, 493
surgical approaches for small acoustic neurinomas, 52
Free rectus abdominis muscle flap, successful closure of recurrent traumatic CSF rhinorrhea using, 275
Future
evaded bioethics and the vocation of medicine-the future at stake, 193-ed
neurosurgery of the future?, 516-ed

G
Gadolinium, delayed magnetic resonance imaging with Gd-DTPA differentiates subdural hygroma and subdural effusion, 303

Gamma knife radiosurgery, acute complications are rare, 498
Gastrointestinal disease, neurogenic, 290
Gene therapy, antisense-mediated inhibition of *bcl-2* gene induces apoptosis in human malignant glioma, 360
Genetics, familial arteriovenous malformations in siblings, 255
Germinoma, primary intracranial, in medulla oblongata, 448
Glioblastoma multiforme, tumor bed cyst formation after BCNU wafer implantation, 229
Gliomas
  antisense-mediated inhibition of *bcl-2* gene induces apoptosis in human malignant glioma, 360
  brain tumors in Mexico: characteristics and prognosis of glioblastoma, 157
  interstitial BCNU chemotherapy in treatment of malignant glioma, 458
  primary midbrain, surgical treatment of, 41
Guglielmi detachable coils, techniques of coiling cerebral aneurysms, 150
Gunshot wound to head, case of Abraham Lincoln, 511
Guyon's canal syndrome, good recovery after surgery in extreme case of, 190

H
Hearing preservation
  meningiomas of cerebellopontine angle, 439
  radiosurgery for bilateral neurinomas associated with neurofibromatosis type 2, 383
  surgical approaches for small acoustic neurinomas, 52
Hemashield, combination of wrapping and clipping using collagen-impregnated Dacron fabric, 330
Hematoma
  acute epidural hematoma developing during twist-drill craniostomy, 601
  chronic subdural, spontaneous resolution of, 312
  of ligamentum flavum in lumbar spine, 598
  skull metastasis of hepatocellular carcinoma associated with acute epidural hematoma, 379
  spontaneous brachial plexus hemorrhage, 356
Hemifacial spasm, caused by contralateral vertebral artery, 493
Hemorrhage
  cerebellar, after coil embolization for ruptured vertebral dissecting aneurysm, 239
  chronic hydrocephalus in elderly patients following subarachnoid hemorrhage, 119
  cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage, 110
  effect of antioxidant, Ebselen, on development of chronic cerebral vasospasm after subarachnoid hemorrhage in primates, 323
  increased endothelin-1 concentration in cerebrospinal fluid in cerebral vasospasm caused by subarachnoid hemorrhage, 131
  spontaneous brachial plexus hemorrhage, 356
Hepatocellular carcinoma, skull metastasis of, associated with acute epidural hematoma, 379
Herniated disc, lumbar, presenting with cauda equina syndrome, 100
Hippocampal dentate granule cells, selective vulnerability to radiation, 503
History
  gunshot wound to head-case of Abraham Lincoln, 511
  Neurosurgical Travel Club, 293
  time-line for treatment of cerebral AVMs: surgery, 552
Horner's syndrome, sixth nerve palsy and, 94-le
Hydrocephalus
  chronic, in elderly patients following subarachnoid hemorrhage, 119
  Dutch Normal-Pressure Hydrocephalus Study: analysis of four diagnostic criteria to select patients for shunting, 201
Hypertension
  catecholamine-secreting carotid body tumor and intracranial aneurysm, 488
  intracranial aneurysms and arterial hypertension, 530
Hypoglossal nerve, optimal transarticular C1-2 screw length and location of, 208
Hypothermia, induced, rubber dam interposition technique during intracranial aneurysm clipping under deep hypothermic circulatory arrest, 146

I
Infection
  diagnostic pitfalls in osteomyelitis of odontoid process, 573
  encephalitis due to free-living amoeba *(Balamuthia mandrillaris)*, 611
  isolated sphenoid sinus abscess, 174
  multiple brain abscesses caused by *Salmonella typhi*, 86
  Nocardia asteroides cerebral abscess in immunocompetent hosts, 605
Internal capsule, intraoperative direct subcortical stimulation for identification of internal capsule, combined with image-guided stereotactic system during surgery for basal ganglia lesions, 250
Intervertebral disc
  anterior cervical microdiscectomy and interbody titanium cage fusion in patients with cervical disc disease, 417
  bilateral vocal cord paralysis after anterior cervical discoidectomy and fusion in case of whiplash cervical spine injury, 586
  cervical discectomy: prospective analysis of three operative techniques, 340
  ligament-sparing lumbar microdiscectomy, 592
  lumbar herniated disc presenting with cauda equina syndrome, 100
Ischemia
  does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 182
  is decompressive craniectomy for acute cerebral infarction of any benefit?, 225

J
Jugular bulb diverticulum, associated with lower cranial nerve palsy and multiple aneurysms, 559

K
Keyhole surgery, middle fossa approach to large cholesterol granuloma of petrous apex, 64

L
Laminectomy, posterior interbody fusion using laminectomy bone and transpedicular screw fixation for lumbar spondylolisthesis, 2
Ligaments
  hematoma of ligamentum flavum in lumbar spine, 598
  ligament-sparing lumbar microdiscectomy, 592
Lipomatosis, thoracic epidural, with associated syrinx, 589
Lumbar spine
  hematoma of ligamentum flavum in, 598
  ligament-sparing lumbar microdiscectomy, 592
  lumbar herniated disc presenting with cauda equina syndrome, 100
  posterior interbody fusion for spondylolisthesis of, 2
Lymphoma, with central nervous system involvement, 163

M
Magnetic resonance imaging (MRI)
  cerebral atrophy in Cushing's disease, 72
  chronological changes in MRI findings of spinal dural arteriovenous fistula, 243
  de novo cavernoma, 484
  de novo lesions in familial form of cerebral cavernous malformation, 475
  delayed MRI with Gd-DTPA differentiates subdural hygroma and subdural effusion, 303
  diagnostic pitfalls in osteomyelitis of odontoid process, 573
  dissecting aneurysm of anterior choroidal artery: angiographical and MR imaging findings, 334
  improved identification of axonal shear injuries with gradient echo MR technique, 400
  increased signal intensity in association with myelopathy and cervical instability, 8
  intraoperative direct subcortical stimulation for identification of internal capsule, combined with image-guided stereotactic system during surgery for basal ganglia lesions, 250
  isolated sphenoid sinus abscess, 174
  lumbar herniated disc presenting with cauda equina syndrome, 100
  presphenoidal marrow changes in pediatric skull base, 91
Medulla oblongata, primary intracranial germinoma in, 448
Meningiomas
  of cerebellopontine angle, 439
  parasagittal, Rosai-Dorfman disease mimicking, 452
Metastatic disease
  calvarial metastasis of paraganglioma, 61
  skull metastasis of hepatocellular carcinoma associated with acute epidural hematoma, 379
Microsurgery
  for primary midbrain gliomas, 41
  for thalamic cavernous malformations, 30
Microvascular decompression, for trigeminal neuralgia, Teflon granuloma after, 281
Midbrain, surgical treatment of primary midbrain gliomas, 41
Middle fossa approach
  keyhole, to large cholesterol granulomas of petrous apex, 64
  for small acoustic neurinomas, 52
Mini Mental State Examination, spontaneous resolution of chronic subdural hematoma, 312
Motor area cavernous angioma, 337
Myelopathy
  cervical diffuse idiopathic skeletal hyperostosis and ossification of posterior longitudinal ligament resulting in dysphagia or, 427
  increased MRI signal intensity in association with myelopathy and cervical instability, 8

N
Neck clipping, elective, for unruptured aneurysms in elderly patients, 14
Neoplasms
  antisense-mediated inhibition of *bcl-2* gene induces apoptosis in human malignant glioma, 360
  brain tumors in Mexico: characteristics and prognosis of glioblastoma, 157
  calvarial metastasis of paraganglioma, 61
  catecholamine-secreting carotid body tumor and intracranial aneurysm, 488
  characteristic features of malignant lymphoma with central nervous system involvement, 163
  current surgical results of retrosigmoid approach in extralarge vestibular schwannomas, 370
  diagnostic pitfalls in osteomyelitis of odontoid process, 573
  interstitial BCNU chemotherapy in treatment of malignant glioma, 458
  keyhole middle fossa approach to large cholesterol granuloma of petrous apex, 64
  meningiomas of cerebellopontine angle, 439
  motor area cavernous angioma, 337
  pituitary adenomas, 211
  primary intracranial germinoma in medulla oblongata, 448
  radiosurgery for bilateral neurinomas associated with neurofibromatosis type 2, 383
  Rosai-Dorfman disease mimicking parasagittal meningioma, 452
  spinal chondrosarcoma following adenocarcinoma of breast, 580
  stereotactic biopsy for brain tumors: is it always necessary?, 432
  surgical treatment of primary midbrain gliomas, 41
  telomerase activity and expression of telomerase components in pituitary adenoma with malignant transformation, 267
  thoracic epidural lipomatosis with associated syrinx, 589
  tumor bed cyst formation after BCNU wafer implantation, 229
Nerve entrapment syndromes
  of brachial plexus, 82
  good recovery after surgery in extreme case of Guyon's canal syndrome, 190

Nerve stimulation
  does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 182
  positioning of vagal nerve stimulators, 178
Neurofibromatosis type 2
  in monozygotic twins, 95-le
  radiosurgery for bilateral neurinomas associated with, 383
Neurogenic disease, 290
Neuropathy
  does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 182
  ulnar, treatment of, 524
Neurosurgeons
  the CNS versus the AANS: who loses? You do!, 617-ed
  evaded bioethics and the vocation of medicine-the future at stake, 193-ed
  neurosurgery of the future?, 516-ed
  physicians and unions: an oxymoron?, 403-ed
  recognizing major contributors, 522
  senior neurosurgeons, 619-le
  thoughts about Professor Ramamurthi and senior neurosurgeons: when should they retire?, 92-ed
Neurosurgical societies, 518-le
Neurosurgical Travel Club, 293
Nocardia asteroides, cerebral abscess in immunocompetent hosts, 605

O

Odontoid process
  diagnostic pitfalls in osteomyelitis of, 573
  os odontoideum, 106
Ommaya reservoir, tumor bed cyst formation after BCNU wafer implantation, 229
Osteomyelitis, of odontoid process, diagnostic pitfalls in, 573
Outcome
  chronological changes in MRI findings of spinal dural arteriovenous fistula, 243
  current surgical results of retrosigmoid approach in extralarge vestibular schwannomas, 370
  Dutch Normal-Pressure Hydrocephalus Study: analysis of four diagnostic criteria to select patients for shunting, 201
  elective neck clipping for unruptured aneurysms in elderly patients, 14
  good recovery after surgery in extreme case of Guyon's canal syndrome, 190
  risks of surgery for patients with unruptured intracranial aneurysms, 21
  surgical treatment for elderly patients with intracranial aneurysms, 231

P

Palsy
  Horner's syndrome and sixth nerve palsy, 94-le
  jugular bulb diverticulum associated with lower cranial nerve palsy and multiple aneurysms, 559
Paraganglioma, calvarial metastasis of, 61
Paranasal sinuses
  isolated sphenoid sinus abscess, 174
  successful closure of recurrent traumatic CSF rhinorrhea using free rectus abdominis muscle flap, 275
Parasites, encephalitis due to free-living amoeba *(Balamuthia mandrillaris)*, 611
Pediatric patients
  distal anterior choroidal artery aneurysm associated with arteriovenous malformation, 546
  presphenoidal marrow changes in pediatric skull base, 91
Percutaneous subdural tapping, acute epidural hematoma developing during twist-drill craniostomy as complication of, 601
Peripheral nerves
  entrapment syndromes of brachial plexus, 82
  good recovery after surgery in extreme case of Guyon's canal syndrome, 190
  spontaneous brachial plexus hemorrhage, 356
  treatment of ulnar neuropathy, 524
Physicians and unions: an oxymoron?, 403-ed
Pituitary adenomas, 211
  telomerase activity and expression of telomerase components in pituitary adenoma with malignant transformation, 267
Pituitary surgery
  absence of peritumoral Crooke's change associated with recurrence in surgically treated Cushing's disease, 77
  endoscopic-guided direct endonasal approach for, 168
Posterior longitudinal ligament ossification, and cervical diffuse idiopathic skeletal hyperostosis, resulting in dysphagia or myelopathy, 427
Pregnancy, endodermal cyst of septum pellucidum and, 583
Preoperative planning, advanced-image guided skull base surgery, 563
Primates, effect of antioxidant, Ebselen, on development of chronic cerebral vasospasm after subarachnoid hemorrhage in, 323
Prolactinomas
  pituitary adenomas, 211
  telomerase activity and expression of telomerase components in pituitary adenoma with malignant transformation, 267

R

Radiation therapy, selective vulnerability to radiation in hippocampal dentate granule cells, 503
Radiosurgery
  acute complications following gamma knife radiosurgery are rare, 498
  for bilateral neurinomas associated with neurofibromatosis type 2, 383
  for primary intracranial germinoma in medulla oblongata, 448
  for thalamic cavernous malformations, 30
Readers' comments
  Cerebral aneurysms and medical defects, continued, 197-le
  Horner's syndrome and sixth nerve palsy, 94-le
  Neurosurgical societies, 518-le
  NF2 in monozygotic twins, 95-le
  Senior neurosurgeons, 619-le

Retrosigmoid approach
current surgical results of, in extralarge vestibular schwannomas, 370
for small acoustic neurinomas, 52
Rhinorrhea, successful closure of recurrent traumatic CSF rhinorrhea using free rectus abdominis muscle flap, 275
Risk factors
for development of post-traumatic cerebral vasospasm, 126
surgical risks for patients with unruptured intracranial aneurysms, 21
Rosai-Dorfman disease, mimicking parasagittal meningioma, 452
Rubber dam interposition technique, during intracranial aneurysm clipping under deep hypothermic circulatory arrest, 146

S
Salmonella typhi, multiple brain abscesses caused by, 86
Screw fixation
anatomic considerations of costotransverse screw placement in thoracic spine, 349
optimal transarticular C1-2 screw length and location of hypoglossal nerve, 208
posterior interbody fusion for lumbar spondylolisthesis, 2
Seizures
acute complications following gamma knife radiosurgery are rare, 498
positioning of vagal nerve stimulators, 178
Septum pellucidum, pregnancy and endodermal cyst of, 583
Shunts, Dutch Normal-Pressure Hydrocephalus Study: analysis of four diagnostic criteria to select patients for shunting, 201
Sinuses
isolated sphenoid sinus abscess, 174
successful closure of recurrent traumatic CSF rhinorrhea using free rectus abdominis muscle flap, 275
Sixth nerve palsy, Horner's syndrome and, 94-le
Skull
calvarial metastasis of paraganglioma, 61
skull metastasis of hepatocellular carcinoma associated with acute epidural hematoma, 379
Skull base
advanced-image guided skull base surgery, 563
pediatric, presphenoidal marrow changes in, 91
Sphenoid bone, presphenoidal marrow changes in pediatric skull base, 91
Sphenoid sinus abscess, isolated, 174
Spinal chondrosarcoma, following adenocarcinoma of breast, 580
Spinal cord, does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 182
Spinal fusion
anterior cervical microdiscectomy and interbody titanium cage fusion in patients with cervical disc disease, 417
bilateral vocal cord paralysis after anterior cervical discoidectomy and fusion in case of whiplash cervical spine injury, 586
os odontoideum, 106
posterior interbody fusion for lumbar spondylolisthesis, 2
Spinal instability, increased MRI signal intensity in association with myelopathy and cervical instability, 8
Spine. *See* Cervical spine; Lumbar spine; Thoracic spine
Spondylolisthesis, lumbar, posterior interbody fusion using laminectomy bone and transpedicular screw fixation for, 2
Stent placement
combined neuroendovascular stenting and coil embolization for cervical carotid artery dissection causing symptomatic mass effect, 318
complicated stent supported cerebrovascular angioplasty, 465
Stereotaxy
intraoperative direct subcortical stimulation for identification of internal capsule, combined with image-guided stereotactic system during surgery for basal ganglia lesions, 250
stereotactic biopsy for brain tumors: is it always necessary?, 432
Subarachnoid hemorrhage
aneurysmal, cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after, 110
cerebellar hemorrhage after coil embolization for ruptured vertebral dissecting aneurysm, 239
chronic hydrocephalus in elderly patients following, 119
effect of antioxidant, Ebselen, on development of chronic cerebral vasospasm after subarachnoid hemorrhage in primates, 323
increased endothelin-1 concentration in cerebrospinal fluid in cerebral vasospasm caused by, 131
surgical resection of cerebral arteriovenous malformation for treatment of superficial siderosis, 554
surgical treatment for elderly patients with intracranial aneurysms, 231
Subclavian artery, complicated stent supported cerebrovascular angioplasty, 465
Subdural effusion, delayed magnetic resonance imaging with Gd-DTPA differentiates subdural hygroma and, 303
Subdural hematoma
acute epidural hematoma developing during twist-drill craniostomy, 601
chronic, spontaneous resolution of, 312
Subdural hygroma, delayed magnetic resonance imaging with Gd-DTPA differentiates subdural effusion and, 303
Superficial siderosis, surgical resection of cerebral arteriovenous malformation for treatment of, 554
Superficial temporal artery, giant aneurysm of, 543
Surgical approaches
current surgical results of retrosigmoid approach in extralarge vestibular schwannomas, 370
endoscopic-guided direct endonasal approach for pituitary surgery, 168

keyhole middle fossa approach to large cholesterol granulomas of petrous apex, 64
for small acoustic neurinomas, 52
Surgical risks, for patients with unruptured intracranial aneurysms, 21
Surgical technique
bone flap fixation with titanium clamps: new technique, 391
cervical discectomy: prospective analysis of three operative techniques, 340
cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage, 110
combination of wrapping and clipping using collagen-impregnated Dacron fabric (Hemashield), 330
positioning of vagal nerve stimulators, 178
posterior interbody fusion for lumbar spondylolisthesis, 2
rubber dam interposition technique during intracranial aneurysm clipping under deep hypothermic circulatory arrest, 146
surgical treatment of primary midbrain gliomas, 41
techniques of coiling cerebral aneurysms, 150
Syringomyelia, thoracic epidural lipomatosis with associated syrinx, 589
Systemic disease, neurogenic, 290

T
Technology
advanced-image guided skull base surgery, 563
technique for neurosurgically relevant CT image transfers using inexpensive video digital technology, 411
Teflon granuloma, after microvascular decompression for trigeminal neuralgia, 281
Telomerase, activity and expression of telomerase components in pituitary adenoma with malignant transformation, 267
Thalamus, cavernous malformations, 30
Thoracic outlet syndrome, entrapment syndromes of brachial plexus, 82
Thoracic spine, anatomic considerations of costotransverse screw placement in, 349
Titanium clamps, bone flap fixation with: new technique, 391
Tonsillar herniation, "spontaneous" reduction of, in acromegaly, 396
Transcutaneous oxygen tension, does autonomic neuropathy influence spinal cord stimulation therapy success in diabetic patients with critical lower limb ischemia?, 182
Transsphenoidal surgery, for pituitary adenomas, 211
Trauma
acute epidural hematoma developing during twist-drill craniostomy, 601
delayed magnetic resonance imaging with Gd-DTPA differentiates subdural hygroma and subdural effusion, 303
gunshot wound to head-case of Abraham Lincoln, 511
improved identification of axonal shear injuries with gradient echo MR technique, 400
risk factors for development of post-traumatic cerebral vasospasm, 126
successful closure of recurrent traumatic CSF rhinorrhea using free rectus abdominis muscle flap, 275
traumatic aneurysms and arteriovenous fistulas of extracranial vessels in war injuries, 136
Trigeminal neuralgia, Teflon granuloma after microvascular decompression for, 281
Tumors. *See* Neoplasms
Twins, monozygotic, NF2 in, 95-le

U
Ulnar nerve
good recovery after surgery in extreme case of Guyon's canal syndrome, 190
treatment of ulnar neuropathy, 524
Unions and physicians: an oxymoron?, 403-ed
Urinary retention, lumbar herniated disc presenting with cauda equina syndrome, 100
Urokinase, cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage, 110

V
Vagal nerve stimulators, positioning of, 178
Vasculopathy, traumatic aneurysms and arteriovenous fistulas of extracranial vessels in war injuries, 136
Vasospasm, cerebral
apoptosis of endothelial cells in vessels affected by, 260
cisternal irrigation therapy with urokinase and ascorbic acid for prevention of vasospasm after aneurysmal subarachnoid hemorrhage, 110
effect of antioxidant, Ebselen, on development of chronic cerebral vasospasm after subarachnoid hemorrhage in primates, 323
hemifacial spasm caused by contralateral vertebral artery, 493
increased endothelin-1 concentration in cerebrospinal fluid in cerebral vasospasm caused by subarachnoid hemorrhage, 131
post-traumatic, risk factors for development of, 126
Venous angioma, thalamic cavernous malformations, 30
Vertebral artery
cerebellar hemorrhage after coil embolization for ruptured vertebral dissecting aneurysm, 239
complicated stent supported cerebrovascular angioplasty, 465
contralateral, hemifacial spasm caused by, 493
traumatic aneurysms and arteriovenous fistulas of extracranial vessels in war injuries, 136
Vestibular schwannomas
extralarge, current surgical results of retrosigmoid approach in, 370
meningiomas of cerebellopontine angle, 439
Vocal cord paralysis, bilateral, after anterior cervical discoidectomy and fusion in case of whiplash cervical spine injury, 586

W
War injuries, traumatic aneurysms and arteriovenous fistulas of extracranial vessels in, 136
Whiplash cervical spine injury, bilateral vocal cord paralysis after anterior cervical discoidectomy and fusion in case of, 586